●   ●

WEST Search History

DATE: Tuesday, April 09, 2002

Set Name side by side	**Query**	**Hit Count**	**Set Name** result set
	DB=USPT; PLUR=YES; OP=ADJ		
L21	L19 and (compar$3 or match$3) near5 (party or user or client or customer or subscriber or agent)	25	L21
L20	L19 and party	43	L20
L19	705/80	67	L19
L18	6085178.pn.	1	L18
L17	5155763.pn.	1	L17
	DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L16	L15 not l9	8	L16
L15	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same determin$8	44	L15
L14	l11 not l10	5	L14
L13	L12 not l8	1	L13
L12	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same recogniz$3	5	L12
L11	unknown near5 agent same known near5 agent same (determin$8 or recogniz$3 or indetif$8)	28	L11
	DB=USPT; PLUR=YES; OP=ADJ		
L10	unknown near5 agent same known near5 agent same (determin$8 or recogniz$3 or indetif$8)	23	L10
L9	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same determin$8	36	L9
L8	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same recogniz$3	4	L8
L7	(unknown near5 (party or user or client or customer) same known near5 (party or user or client or customer) and compar$5) AnD (((@pd > 20020407!))	0	L7
L6	(unknown near5 (party or user or client or customer) same known near5 (party or user or client or customer) same compar$5) AnD (((@pd > 20020407!))	0	L6
L5	(unknown party same known) AnD (((@pd > 20020407!))	0	L5
L4	(onknown party same known) AnD (((@pd > 20020407!))	0	L4

L3	(onknown party same known) AnD (((@pd > 20020407!))	0	L3
L2	(08/821935) AnD (((@pd > 20020407!))	0	L2
L1	(08821935) AnD (((@pd > 20020407!))	0	L1

END OF SEARCH HISTORY

WEST Search History

DATE: Tuesday, April 09, 2002

Set Name side by side	Query	Hit Count	Set Name result set
DB=USPT; PLUR=YES; OP=ADJ			
L23	L20 not l21	23	L23
L22	L20 not l19	0	L22
L21	L19 and (compar$3 or match$3) near5 (party or user or client or customer or subscriber or agent)	25	L21
L20	L19 and party	43	L20
L19	705/80	67	L19
L18	6085178.pn.	1	L18
L17	5155763.pn.	1	L17
DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ			
L16	L15 not l9	8	L16
L15	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same determin$8	44	L15
L14	l11 not l10	5	L14
L13	L12 not l8	1	L13
L12	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same recogniz$3	5	L12
L11	unknown near5 agent same known near5 agent same (determin$8 or recogniz$3 or indetif$8)	28	L11
DB=USPT; PLUR=YES; OP=ADJ			
L10	unknown near5 agent same known near5 agent same (determin$8 or recogniz$3 or indetif$8)	23	L10
L9	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same determin$8	36	L9
L8	unknown near5 (party or user or client or customer or subscriber) same known near5 (party or user or client or customer or subscriber) same recogniz$3	4	L8
L7	(unknown near5 (party or user or client or customer) same known near5 (party or user or client or customer) and compar$5) AnD (((@pd > 20020407!))	0	L7
L6	(unknown near5 (party or user or client or customer) same known near5 (party or user or client or customer) same compar$5) AnD (((@pd > 20020407!))	0	L6

L5	(unknown party same known) AnD (((@pd > 20020407!))	0	L5
L4	(onknown party same known) AnD (((@pd > 20020407!))	0	L4
L3	(onknown party same known) AnD (((@pd > 20020407!))	0	L3
L2	(08/821935) AnD (((@pd > 20020407!))	0	L2
L1	(08821935) AnD (((@pd > 20020407!))	0	L1

END OF SEARCH HISTORY